

CEPSA DESENGRASANTE

Description

CEPSA DESENGRASANTE is an alkaline liquid, green in colour and completely soluble in both hot and cold water.

Applications

- In any type of vehicle or public works machinery batteries as well as stationary batteries for starting electricity generators.
- In steam irons, cosmetics and pharmaceuticals

Performance

- Its very high chelating properties give it optimum performance in any type of water, avoiding obstructions in nozzles, pipes and pumps.
- This DESENGRASANTE has a range of surfactants that permit the elimination of different oiling and it also has a balanced foaming power to allow its use in modern spray equipment.

Use

- *In engines, undersides and bodywork*
Dilute with water to 5 - 10% and spray on the engine or underside, allowing it to act for 2-5 minutes and rinse with a pressure hose.
- *On the ground and inspection pits*
Dilute with water to 15 - 25% and apply over all the surface to be cleaned, allowing it to act for 10-20 minutes and rinse with water.

Typical Characteristics

CHARACTERISTICS	CEPSA DESENGRASANTE
Appearance	Transparent liquid
Colour	Green
Odour	Odourless
pH concentrate	13.2
pH at 1%	11.5
Density at 20°C	1.097
Ionic character	Non-ionic
Freezing point, °C	-2°C
Active ingredients, %	17.7

Health & Safety and Environment

Health, safety and environmental information is provided for this product in the Materials Safety Data Sheet. This gives details of potential hazards, precautions and First Aid measures together with environmental effects and disposal of used products.

The typical values of the characteristics appearing in the table are average values given for guidance purposes. These values may be modified without any prior warning.